

# PRODUCT INFORMATION



SEALER & STOP LEAK

CODE: C312

PAGE: 1 of 1

DATE: 01/21/2008

**FUNCTION AND APPLICATION:** Stops leaks in radiators instantly and prevents new leaks from developing. Works in water or anti-freeze solutions. Draining and flushing the system before addition is not necessary, unless system is corroded or dirty. Contains rust inhibitor. Will not harm metal, rubber hoses, gaskets or any part of the cooling system. For use on car, tractor or small trucks. Larger vehicles may require 2 cans.

**OUTSTANDING PROPERTIES:** Non-clogging, free flowing. Works when used as directed with all regular and extended life anti-freeze.

**USE DIRECTIONS:** Start motor with radiator nearly full and cap loose. When engine is hot, shake can thoroughly. Pour contents into radiator gradually and replace radiator cap. Run engine for a few minutes until all leaks stop. DO NOT POUR ON A HOT CORE. Caution: Never remove pressure cap from a hot engine. Burns may result from contents spewing over and causing injury.

**PRODUCT LIMITATIONS:** Will not stop major leaks or solve major mechanical problems.

**PRECAUTIONS:** Contains Sodium Borate Decahydrate (CAS# 1303-96-4). Eye and skin irritant. Harmful if swallowed. **FIRST AID:** For eye contact, flush eyes with running water for 15 minutes and get prompt medical attention. For skin contact, wash with soap and water. If irritation persists, get prompt medical attention. For Ingestion: DO NOT INDUCE VOMITING. Call Poison Control Center, Physician, or Hospital Emergency Room Immediately.

**STORAGE & HANDLING:** Store away from acids. Keep away from children.

**DISPOSAL:** Dispose of container, residue, and excess product in accordance with all federal, state, and local laws and regulations.

**CONTAINER DESCRIPTION:** 11 fluid ounces in round plastic bottle.

## Radiator Specialty Company

600 RADIATOR ROAD, INDIAN TRAIL, N.C. 28079-5225 / 704-821-7643, 877-GO-4-GUNK

NOTICE: While this information is presented in good faith and believed to be accurate, Radiator Specialty Company does not guarantee satisfactory results from reliance thereon. The data is offered solely for your information and Radiator Specialty Company disclaims all liability for any loss or damage from its use. Thoroughly test any application according to the product directions and independently conclude satisfactory performance. Nothing contained herein is to be construed as a recommendation to use the product in violation of any patent.